AQUAEL HYPERMAX



Think BIG - Filter BETTER

All-in-One Smart Filtration And Heating System

HYPERMAX + link

The Hypermax Link is a new-generation filter unit, designed for both experienced and novice aquarists. The AQUAEL AQU@RIUM app will provide an overview of the current operation of the device and enable its remote control. All these features, combined with the best technical performance, will give you the confidence that your aquarium inhabitants will enjoy crystal clear water and ideal temperatures.







Operation

- capacity and temperature management via touch screen or AQUAEL AQU@RIUM app
- remote operation or monitoring of the filter via an app
- user-friendly touchscreen interface and intuitive application
- possibility for several people to share access to the application



Filtration

Crystal clear water

- largest filtration capacity among the premium filters - 15.9 | (14.4 | + 1.5 | prefilter)
- water circulation throughout the aquarium, no "dead zones" -2 x IN, 2 x OUT

Powerful and economical

- the most powerful pump on the market - 4500 l/h
- energy-efficient motor 18-36 W

Universal

 designed for small and large aquariums from 200 – up to 1500 liters





Operation

Discreet

- quiet motor operation 24-44 dB
- automatic venting system

Convenient to use

- no frequent maintenance thanks to the **prefilter**
- disconnecting hoses without risk of flooding – patented double ball valves
- simple filter activation patented self priming system
- freedom of movement 4 integrated wheels
- complete set of accessories







Heating

Integrated heating

- durable, plastic heaters 2 ×150 W
- precise electronic thermostat operating from **20-33°C**

Safety

automatic heater shut-off at low water level in the appliance

Freedom of arrangement

• no heaters in the aquarium

Aquarium capacity	200–1500 l
Pump power	18-36 W
Pump capacity	4500 l/h
Maximum lift	2 m
Quiet filter operation	24-44 dB
Capacity for filter media	15.9 (14.4 + 1.5)
Number of baskets for filter cartridges	4 pcs × 3.6 l
Filter cartridges included	1 × 20 ppi sponge, 1 × 30 ppi sponge, 1 × 10 ppi prefilter
Heaters	2 × 150 W / 20–33°C
Mounting accessories included	Hoses, overflow pipes, elbows, suction cups, intake baskets, control cones, shower head, silicone grease

Hose length	4 × 1.5 m
Hose diameter	19/25 mm
Simple self-priming system	yes
Patented double ball valve system	yes
Dimensions with valves (H/W/L)	55.5 × 36 × 36 cm
Integrated casters	4 pcs.
Designed for fresh and salt water	yes
Index	124763
Pallet quantity (pcs.)	18
EAN code	5 905546 334068 >





